

PRODUCT CATALOGUE



At Arc Technology, we're passionate about LED lighting that is smart, sustainable, and incredibly efficient. Our goal isn't just to brighten rooms—it's to enhance spaces while being kind to the planet. With years of expertise, our team designs everything from warm, cozy bulbs for homes to rugged fixtures for industrial use, all crafted to save energy and look amazing. Whether you're decorating your living room or tackling a massive project, we've got custom solutions built to last. We've illuminated everything from snug homes to busy retail stores and sprawling factories, always marrying stunning design with eco-friendly performance.

What fuels us is teaming up with you to make lighting simple and impressive. Our dedicated crew of experts is committed to creating solutions tailored to your needs while pushing for a greener tomorrow. We're more than just a lighting company—we're your partner, focused on your success and the worldwide move toward energy efficiency. From the first idea to the final glow, we're here with a personal touch and a bold vision. When you go with Arc Technology, you're not just getting top-notch lighting—you're joining us in lighting the way to a sustainable future.



Mohiuddin Ahamed

Chief Technical Officer (CTO)

-  +8801712-105004
-  arctechnologybd@gmail.com
-  www.arctechnologybd.com
-  House-340, Road-5, Avenue-3
DOHS, Mirpur, Dhaka






EMERGENCY LAMP

15W \pm 10%

SPECIFICATIONS

Input Voltage	-----	110-265V
Battery Capacity	-----	2500 mAh
Charge Current	-----	3000 mAh
Discharge Current	-----	1200 mAh
Charge Time	-----	7 Hours
Discharge Time	-----	3 Hours
CCT	-----	3000K





LED BATTEN LIGHT

20W / 40W / 60W

SPECIFICATIONS

Input Voltage	-----	160-265V
Frequency	-----	50/60Hz
Power Factor	-----	0.6
Lumen	-----	120 lm/w
CCT	-----	6500K
Dimension	-----	4 Feet
Beam Angle	-----	240 Degree



LED TUBE LIGHT

18 Watt (4 Feet)

SPECIFICATIONS

Input Voltage	-----	160-265V AC
Frequency	-----	50/60 Hz
Power Factor	-----	0.97
CCT	-----	6500K
CRI	-----	80
Lumen	-----	115-150 lm/w
Dimension	-----	4 Feet






LED FLOOD LIGHT

50/100/150/200/400/600 W

SPECIFICATIONS

Input Voltage	-----	90-260V AC
Frequency	-----	50/60Hz
CCT	-----	6500K
CRI	-----	> 80
LED Type	-----	SMD/COB
Lumen	-----	95 lm/w
Protection	-----	IP66





INDUSTRIAL
DOUBLE
**TUBE LIGHT
SHED**





LED STREET LIGHT

100/150/200/250 W

SPECIFICATIONS

Input Voltage	-----	90-260V AC
Frequency	-----	50/60Hz
Power Factor	-----	0.96
CCT	-----	6500K
CRI	-----	< 80
Lumen	-----	95 lm/w
Protection	-----	IP65



LED TRACK LIGHT

10/20/30 Watt

SPECIFICATIONS

Input Voltage	-----	220V AC
Frequency	-----	50/60 Hz
Power Factor	-----	0.6
Lumen	-----	110 lm/w
CCT	-----	3000K/6500K
CRI	-----	< 70
Protection	-----	IP40

LED PANEL LIGHT

48 Watt

SPECIFICATIONS

Input Voltage	-----	110-265V
Frequency	-----	50/60 Hz
Power Factor	-----	0.60
CCT	-----	6500K
CRI	-----	70
Lumen	-----	110 lm/w





LED LINEAR LIGHT

44/56 Watt

SPECIFICATIONS

Input Voltage	-----	110-265V AC
Frequency	-----	50/60 Hz
Power Factor	-----	0.6
CCT	-----	3000K/6500K
CRI	-----	Above 80
Lumen	-----	120 lm/w
Protection	-----	IP44

LED HIGH BAY LIGHT

50/100/150/200 Watt

SPECIFICATIONS

Input Voltage	-----	90-260V AC
Frequency	-----	50/60 Hz
Power Factor	-----	0.95
CCT	-----	6500K
CRI	-----	> 80
Lumen	-----	95 lm/w
Protection	-----	IP66





www.arctechnologybd.com



+8801712105004 arctechnologybd@gmail.com

House-340, Road-5, Avenue-3, DOHS, Mirpur, Dhaka

Eastern housing, Pallabi, Mirpur